

NAATBatt 2025 Member Update

Extending Range



Edmond Liu
Feb 19th, 2025

纳科斗诺尔

NAATBATT


Calendering & Slitting Machine

Parameters

Material Width	Max. 1800mm
Speed	Max. 150m/ min
Roller Diameter	Max. 1100 mm
Gap accuracy	$\pm 1 \mu\text{m}$
Press force	Max. 700 tons
Roller Temp.	Max. 350°C
Temp. accuracy	$\pm 0.5^\circ\text{C}$



Dry Battery Electrode




No wet coating, drying & solvent recovery

Reduce 18% cost in electrode production

No NMP, environmental friendly

Reduce 30% footprint



Founded **1996**

Employee **800+**

Area **50k m²**

Capacity **500 sets/year**
(~ 300GWh)

Global Footprint

HQ
Xingtai, Hebei

SUBSIDIARIES
Shenzhen
Changzhou
Tsingyanak (JV)
Germany

GLOBAL MARKET
China, USA, Europe, Japan,
Korea, India, SEA, ...




Market Overview

2000+ Calendering Line

23% Market Share

180+ Exported



Main Customers

Innovation

Naknor partners with leading institutions and enterprises, including **Tsinghua University**, **Yanshan University**, **Hitachi (Japan)**, **CATL**, and **BYD**, to drive innovation.





400+ Suppliers

An aerial photograph of an industrial facility, possibly a power plant or refinery, with various structures, pipes, and yellow cranes. The image is slightly blurred and has a dark overlay. A large white text overlay is centered on the image.

> 1200 GWh Experience



Hongyun Mixers

HY Industries

Randall Hoeflein

CEO

randall.hoeflein@hongyun
mixers.com

www.naknor.com



Naknor

Bruce Fu

CEO

gmb@naknor.com



KATOP

Peter Chou

VP

sales@katopauto.com

NAKNOR